

Stav skladu ke dni

Filtr: Sklad = ECL EC-LOGISTICS,HSK Hlavní sklad; Typy Skladu = Všechny; Ke dni = 28.08.2024; Výrobci = NULL; Dodavatel = NULL; Středisko = NULL; Produkt = ; Manager = NULL; Typ položky = Zboží; Status produktu = NULL; DPH položky = NULL; Zahnout i nepotvrzené dodací listy = Ne; Dodavatel = ; Seznam dodavatelů = NULL; Seznam produktů = NULL

Volby: Interval5 = 360; Přijmy od = 0; Přijmy do = 30; Třídění = Kód; Grupování = Produkt; S rozpadem na manažera = Ne; Použití intervaly pro stáří skl. = Ne; Zobrazovat nulové řádky = Ne; Max. délka názvu produktu = Nezakrácovat; Exportovat rozšířené údaje (při grupování=Produkt) = Ne; Rozšířené údaje-Kategorie1 = NULL; Rozšířené údaje-Kategorie2 = NULL; Zdroj typu Položky (Produktu) = (Aktuální) nastavení u Produktu;

Detail-přijemky:(při průměrných cenách) = Agregovaně (jen nenulové zůstatky ks)

| Kód | Název | Výr. | Man.Počet | Cena | Základ |
|----------------------|------------------------------------------------------------------------|----------------|-----------|-----------|------------|
| AMV-C2T-400-24 | Hall Current Sensor, 400A, 24V | AMV | MIM 10 | 268.05 | 2 680.50 |
| AMV-C3T-1000-24 | Hall Current Sensor, 1000A, 24V | AMV | MIM 10 | 708.58 | 7 085.80 |
| AMV-CEMVIN-BOARD | CEMVIN board 220 mm x 165 mm x 5 mm | AMV | MIM 231 | 20.43 | 4 719.33 |
| AMV-CEMVIN-BOARD-1 | CEMVIN board 174 mm x 127 mm x 6 mm | AMV | MIM 7 | 18.89 | 132.23 |
| AMV-GWL/M-CPM-COV | GWL/MODULAR Modular Cpm Cover 180x100x2mm | AMV | BAD 17 | 22.00 | 374.00 |
| AMV-M12x20 | Set of Bolts M12x20 long and Washers for Lithium Cells (10 pack) | GWLMIM 41 | | 85.04 | 3 486.64 |
| AMV-RBP1-MINI PC 4B | Raspberry Pi - Mini PC 4b | AMV | BAD 2 | 2 313.22 | 4 626.44 |
| AMV-TRITON-ROLLER | Roller castors RAX-MS-X81-X1 | AMV | MIM 2 | 1 165.53 | 2 331.06 |
| AMV-TRITON-SHELF-650 | Shelf with perforations 19", 1U/650mm, load capacity 150kg, grey | AMV | MIM 2 | 916.32 | 1 832.64 |
| BMS123SM-EM | 123ELECTRIC BMS123 Smart - Extended Module | 123e | MIM 2 | 4 840.25 | 9 680.50 |
| BMS123SM-G3-BEGIN | 123ELECTRIC BMS123 Smart Gen3 - BEGIN Single Cell Module | 123e | MIM 1 | 1 559.66 | 1 559.66 |
| BMS123SM-G3-DS500 | 123ELECTRIC BMS123 Smart Gen3 - Current Sensor 500A | 123e | MIM 1 | 743.66 | 743.66 |
| BMS-EASY | BMS Easy - Single Cell Module for LiFePO4 cells protection | GWLMIM 91 | | 450.00 | 40 950.00 |
| BMS-EASY-PT1000 | BMS EASY temperature sensor | GWLMIM 42 | | 118.52 | 4 977.84 |
| BMS-EASY-T | BMS Easy - Module for LiFePO4 cells temperature protection | GWLMIM 42 | | 450.00 | 18 900.00 |
| CBM1-S | GWL/POWER Cell Balancing Module (3.60V- 1.7A), Screws + Cables | GWLP MIM 1 452 | | 41.91 | 60 853.32 |
| CGS-COM-EXT-CABLE | CEGASA Communication Extension Cable For eBick Ultra 175 | CGS | BAD 2 | 378.30 | 756.60 |
| CGS-TCC-CAN | CEGASA TCCv2.0 BTH SYSTEM | CGS | BAD 1 | 8 145.98 | 8 145.98 |
| COV-1-BLK | GWL/POWER Terminal Cover For Cells - Size 1 - Black | GWLP MIM 3 446 | | 11.17 | 38 491.82 |
| COV-1-RED | GWL/POWER Terminal Cover For Cells - Size 1 - Red | GWLP MIM 3 389 | | 11.17 | 37 855.13 |
| COV-3-BLK | GWL/POWER Terminal Cover For Cells - Size 3 - Black | GWLP MIM 332 | | 10.79 | 3 582.28 |
| COV-3-RED | GWL/POWER Terminal Cover For Cells - Size 3 - Red | GWLP MIM 307 | | 14.05 | 4 313.35 |
| COV-4-BLK | GWL/POWER Terminal Cover For Cells - Size 4 - Black | GWLP MIM 86 | | 7.15 | 614.90 |
| ENG-AL-SET | Retractable aluminium set 20x80 mm, AL profiles | AMV | MIM 3 | 2 090.64 | 6 271.92 |
| EVH750A-24S | Hermetic sealed DC Contactor 12-1500VDC, 750A | GWLMIM 2 | | 4 895.88 | 9 791.76 |
| EVR250A-24S | Magnetic Latching Contactor 24V, 250A | GWLMIM 5 | | 1 113.78 | 5 568.90 |
| EVSE-SC-1 | EVSE Mounting Box Scame | EVSE | MIM 1 | 458.23 | 458.23 |
| EVSE-T2-16-7 | EVSE Plug Type2 Mennekes IEC62196-2 (16 Amp / 7M) | EVSE | MIM 4 | 2 331.03 | 9 324.12 |
| EX-HO-L110-DIN | ELERIX Auxiliary Din Rail | EX | BAD 9 | 53.19 | 478.71 |
| EX-HO-L110-SIDE | ELERIX Auxiliary Side Rail | EX | BAD 11 | 32.01 | 352.11 |
| EX-L12V12 | ELERIX Lithium Battery LiFePO4 12V 12Ah - Pack XT60 | EX | BAD 62 | 355.92 | 22 067.04 |
| EX-L12V18 | ELERIX Lithium Battery LiFePO4 12V 18Ah - Pack XT60 | EX | BAD 531 | 535.96 | 284 594.76 |
| EX-L12V24 | ELERIX Lithium Battery LiFePO4 12V 24Ah - Pack XT60 | EX | BAD 215 | 724.02 | 155 664.30 |
| EX-L12V6 | ELERIX Lithium Battery LiFePO4 12V 6Ah - Pack XT60 | EX | BAD 294 | 180.29 | 53 005.26 |
| EXS-415MHC-B | ELERIX Solar panel Mono Half Cut 415Wp 108 cells, (ESM-415) Black | EX | KUB 0 | 265.80 | 265.80 |
| EX-S5-CAN-V | ELERIX EX-S5 CAN Patch Cable for Victron Cerbo GX | EX | BAD 174 | 19.33 | 3 363.42 |
| EX-T30K | ELERIX Lithium Titanate Oxide Cell LTO Prismatic 2.3V 30Ah - 6C | EX | BAD 1 | 529.40 | 529.40 |
| FOX-BMS-BOX | FoxESS BMS-BOX for High Voltage Battery | FOX | BAD 2 | 2 702.85 | 5 405.70 |
| FOX-HV2600 | FoxESS HV2600 High Voltage Battery Module, 2.6kWh, V1.0 (V.D) | FOX | BAD 18 | 19 586.65 | 352 559.70 |
| FOX-HV2600-Bracket | FoxESS Bracket For HV2600 | FOX | BAD 4 | 213.98 | 855.92 |
| FOX-INV-H1-5.0-E | FoxESS H1-5.0-E Single-phase Hybrid/AC inverter 5 kW, DC 6,5 kW | FOX | BAD 1 | 11 843.74 | 11 843.74 |
| FOX-INV-H3-10.0-E | FoxESS H3-10.0-E 3-phase Hybrid/AC inverter 10 kW, DC 13 kW | FOX | BAD 5 | 39 222.85 | 196 114.25 |
| FOX-INV-T10 | FoxESS T10-G3 3-phase inverter AC 10kW, DC 15kW, 2x MPPT | FOX | BAD 1 | 5 830.00 | 5 830.00 |
| FOX-INV-T5 | FoxESS T5-G3 3-phase inverter AC 5kW, DC 7,5kW, 2x MPPT | FOX | BAD 1 | 6 141.66 | 6 141.66 |
| FOX-Power-Metter-1 | FoxESS Energy Metter DDSU666 - 1-phase | FOX | BAD 1 | 1 636.23 | 1 636.23 |
| GWL/M-5P-MG | 5 Pin Magnetic Connector (Set) | GWLMIM 35 | | 146.89 | 5 141.15 |
| GWL/M-BC16 | GWL/MODULAR LiFePO4 Battery Monitor/Energy Meter + Shunt 350A, 8V-120V | GWLMIM 4 | | 1 535.98 | 6 143.92 |
| GWL/M-BC21 | GWL/MODULAR Battery Capacity and Energy Meter with 350A shunt | GWLMIM 29 | | 935.43 | 27 127.47 |
| GWL/M-Box | GWL/MODULAR Packing Box Complet | GWLMIM 81 | | 23.00 | 1 863.00 |
| GWL/M-Break-2A | GWL/MODULAR Circuit Breaker 2A | GWLMIM 8 | | 63.34 | 506.72 |
| GWL/M-C5D | GWL/MODULAR Balancing Cable - 5 Pin - JST XM DUAL | GWLMIM 17 | | 48.12 | 818.04 |
| GWL/M-C5w | Balancing Cable - 5 Pin With JST XM Connector | GWLMIM 68 | | 9.53 | 648.04 |
| GWL/M-Cab-Sleeve | GWL/MODULAR Cable Sleeve | GWLMIM 350 | | 9.69 | 3 391.50 |
| GWL/M-CBM4S-HLD | GWL/POWER Holder for Balancing Board For 1-4 Cells LFP (1.2 Amp) | GWLP MIM 89 | | 5.69 | 506.41 |
| GWL/M-Clamp-2.5A-B | GWL/MODULAR Terminal Modular Block 2.5 mm2, Blue | GWLMIM 8 | | 11.58 | 92.64 |

| | | | | |
|---------------------|-------------------------------------------------------------------|-------------|--------|----------|
| GWL/M-Clamp-2.5A-R | GWL/MODULAR Modular Terminal Block 2.5 mm2, Red | GWLMMIM 8 | 9.14 | 73.12 |
| GWL/M-Clamp-35A-W | GWL/MODULAR Modular Terminal Block 35 mm2, White | GWLMMIM 20 | 35.59 | 711.80 |
| GWL/M-Clamp-END-B | GWL/MODULAR Terminal Block End, Black | GWLMMIM 108 | 6.63 | 716.04 |
| GWL/M-Con-6-F | GWL/MODULAR Cable Connector 6 Pin Female | GWLMMIM 25 | 7.48 | 187.00 |
| GWL/M-Con-6-M | GWL/MODULAR Cable Connector 6 Pin Male | GWLMMIM 25 | 7.39 | 184.75 |
| GWL/M-Con-8-F | GWL/MODULAR Cable Connector 8 Pin Female | GWLMMIM 31 | 8.86 | 274.66 |
| GWL/M-Con-8-M | GWL/MODULAR Cable Connector 8 Pin Male | GWLMMIM 31 | 9.29 | 287.99 |
| GWL/M-Contactor-20A | GWL/MODULAR Contactor AC 230V, 20A | GWLMMIM 3 | 175.88 | 527.64 |
| GWL/M-Contactor-25A | GWL/MODULAR Contactor AC 230V, 25A | GWLMMIM 2 | 447.05 | 894.10 |
| GWL/M-CPM-SIDE | GWL/MODULAR Modular CPM Side | GWLMMIM 10 | 37.78 | 377.80 |
| GWL/M-CPM-SLAT | GWL/MODULAR Modular Cpm Slat (17,3Cm) | GWLMMIM 22 | 122.75 | 2 700.50 |
| GWL/M-CY075B | GWL/MODULAR Solid Cable CY H05V-U 0.75mm2, Black | GWLMMIM 21 | 3.57 | 74.97 |
| GWL/M-DI5020 | GWL/MODULAR Crimp Socket With Insulation 50-20, Green | GWLMMIM 37 | 5.23 | 193.51 |
| GWL/M-DID07508-1 | GWL/MODULAR Double Crimp Socket With Insulation 0,75-8, White | GWLMMIM 496 | 0.68 | 337.28 |
| GWL/M-DIN-Rail-05 | GWL/MODULAR DIN Rail 35X 7.5 Perforated, Hole 5.2mm (Lenght 0,5m) | GWLMMIM 63 | 23.76 | 1 496.88 |
| GWL/M-E5010 | GWL/MODULAR Screw-In Cable Eyelet (50/10) | GWLMMIM 23 | 92.20 | 2 120.60 |

1 448 214,14

I6 (c) 2024 CyberSoft, s.r.o. (FRJ)

GWL Group a.s.

Průmyslová 11/1472, Praha 10, 10219

Page: 2 (FRJ)

28.08.2024 14:14

Stav skladu ke dni

Filtr: Sklad = ECL EC-LOGISTICS, HSK Hlavní sklad; Typy Skladu = Všechny; Ke dni = 28.08.2024; Výrobci = NULL; Dodavatel = NULL; Středisko = NULL; Produkt = ; Manager = NULL; Typ položky = Zboží; Status produktu = NULL; DPH položky = NULL; Zahnout i nepotvrzené dodací listy = Ne; Dodavatel = ; Seznam dodavatelů = NULL; Seznam produktů = NULL

Volby: Interval5 = 360; Přijmy od = 0; Přijmy do = 30; Třídění = Kód; Grupování = Produkt; S rozpadem na manažera = Ne; Použití intervaly pro stáří skl. = Ne; Zobrazovat nulové řádky = Ne; Max. délka názvu produktu = Nezakrácovat; Exportovat rozšířené údaje (při grupování=Produkt) = Ne; Rozšířené údaje-Kategorie1 = NULL; Rozšířené údaje-Kategorie2 = NULL; Zdroj typu Položky (Produktu) = (Aktuální) nastavení u Produktu;

Detail-přijemky:(při průměrných cenách) = Agregovaně (jen nenulové zůstatky ks)

| Kód | Název | Výr. | Man.Poče | Cena | Základ |
|----------------------|---------------------------------------------------------------------------|---------------|-----------|-----------|--------|
| GWL/M-End-Sleeve | GWL/MODULAR Cable End Sleeve | GWLMMIM 2 300 | 0.72 | 1 656.00 | |
| GWL/M-JSTXH-5 | 5 connector extension board | GWLMMIM 57 | 44.81 | 2 554.17 | |
| GWL/Modular-BCC | GWL/MODULAR Battery Communicator and Controller for CPM | GWLMBAD 3 | 759.53 | 2 278.59 | |
| GWL/M-Rel-12V8A | GWL/MODULAR Relay 12V/8A | GWLMMIM 5 | 61.39 | 306.95 | |
| GWL/M-Rel-24V8A | GWL/MODULAR Relay 24V/8A | GWLMMIM 5 | 54.38 | 271.90 | |
| GWL/M-Rel-48V8A | Relay 48V/8A | GWLMMIM 22 | 106.29 | 2 338.38 | |
| GWL/M-Relay-16A | GWL/MODULAR Time relay AC/DC 12-240V, 16A | GWLMMIM 2 | 670.60 | 1 341.20 | |
| GWL/M-Release-60V | GWL/MODULAR Trigger Switching 60V (Breaker) | GWLMMIM 16 | 503.91 | 8 062.56 | |
| GWL/M-Siemens-LOGO | SIEMENS LOGO programmable automatic machine (6ED1052-1MD08-0BA1) | GWLMMIM 12 | 1 444.45 | 17 333.40 | |
| GWL/M-XT60M | GWL/MODULAR Connector XT-60 (Male) | GWLMMIM 12 | 4.24 | 50.88 | |
| GWL-M10-N | Set of Nuts M10x1.25 And Washers for Lithium Cell (10 pack) | EX BAD 1 | 45.67 | 45.67 | |
| INV-AC-M-CAP | GWL/POWER Micro Inverter IP67 male end cap | GWLP MIM 2 | 14.36 | 28.72 | |
| INV-DCU | GWL/POWER Communication device to Microinverter | GWLP MIM 1 | 3 348.63 | 3 348.63 | |
| ISDT-Q8 | ISDT Pocket charger, 20A, 500W | ISDT MIM 1 | 965.27 | 965.27 | |
| ISDT-SP2425 | ISDT Dual USB charger, output 24V, 600W | ISDT MIM 15 | 1 031.71 | 15 475.65 | |
| LTO-40CY-HLD | YINLONG Holder For Lithium Titanate Battery Cell 2.3V 40Ah (2Pcs Packing) | YL MIM 4 331 | 18.91 | 81 899.21 | |
| MANUAL LFP | User manual for LiFePO4 cells and batteries | CP MIM 4 | 15 173.64 | 60 694.56 | |
| MANUAL_LFP_CZE | User manual for LiFePO4 cells and batteries | CP MIM 494 | 3.37 | 1 664.78 | |
| MC4-TOOL | GWL/TOOLS Spanner For Install MC4 Connectors | GWLMMIM 206 | 47.31 | 9 745.86 | |
| MW-DDR-30L-24 | MEANWELL DIN Rail Type DC-DC Converter, 24V, 1,25A, 30W | MW MIM 8 | 518.00 | 4 144.00 | |
| MW-DDR-30L-5 | MEANWELL DIN Rail Type DC-DC Converter, 5V, 0-6A, 30W | MW MIM 9 | 537.16 | 4 834.44 | |
| MW-DRP-02 | MEANWELL DIN rail holder (clip) | MW MIM 2 | 22.90 | 45.80 | |
| MW-HEP-600C-12 | MEANWELL Battery Charger LFP 600W - 12V/35A (Max 11.5-15.1V) | MW MIM 6 | 3 681.29 | 22 087.74 | |
| MW-LRS-100-15 | MEANWELL pulse power supply, 15.0V, 7A, 100W | MW MIM 4 | 379.58 | 1 518.32 | |
| MW-LRS-35-15 | MEANWELL Pulse Power Supply, 15.0V 2.4A, 36W | MW MIM 1 | 205.64 | 205.64 | |
| MW-NPB-120-24TB-used | MEANWELL Battery Charger LFP 120W - 24V/4A (used) | MW MIM 1 | 1 048.99 | 1 048.99 | |
| MW-NPB-750-12 | MEANWELL Battery Charger LFP 750W - 12V/43A (Max 14.4V) | MW MIM 4 | 3 352.80 | 13 411.20 | |
| MW-PB-1000-24 | MEANWELL Battery Charger LFP 1000W - 24V/34A (Max 28.8V) | MW MIM 3 | 4 601.82 | 13 805.46 | |
| MW-RS-15-15 | MEANWELL pulse power supply, 15.0V 0-1A, 15W | MW MIM 5 | 185.70 | 928.50 | |
| MW-RS-15-3 | MEANWELL pulse power supply, 3.3V 0-3A, 10W | MW MIM 5 | 187.59 | 937.95 | |
| MW-SD-25C-24 | MEANWELL DC/DC inverter 24V/1.1A (26W) | MW MIM 2 | 495.02 | 990.04 | |
| OEM-LFP-32700 | OEM-LFP-32700 3.2V6Ah | GWLP BAD 36 | 29.91 | 1 076.76 | |
| OLF-WIFI | Olife WiFi communication module | OLF MIM 2 | 2 183.15 | 4 366.30 | |
| REC-GW2007 | REC Active BMS 4S | REC MIM 1 | 5 263.43 | 5 263.43 | |
| REC-GW2010 | Cable CAN (DB9 to RJ45), length 3m | REC MIM 8 | 342.09 | 2 736.72 | |
| REC-GW2012 | Power relay Tyco - 9-36V | REC MIM 11 | 2 075.36 | 22 828.96 | |

| | | | | |
|----------------------|-------------------------------------------------------------------------------|----------------|-----------|-------------------|
| REC-GWZ023 | CAN termination plug | REC MIM 4 | 102.70 | 410.80 |
| REC-GWZ024 | Precharge resistor (2-11s delay @ 11-68V) | REC MIM 1 | 644.45 | 644.45 |
| REC-GWZ025 | REC WiFi module for REC BMS | REC MIM 5 | 2 481.67 | 12 408.35 |
| REC-GWZ027-BPS | REC BMS Master Unit 9M + accessories | REC POA 1 | 5 959.20 | 5 959.20 |
| REC-GWZ028-2Q-BPS | REC BMS Slave Unit (16S)+ accessories | REC POA 4 | 7 399.34 | 29 597.36 |
| REC-GWZ028-used | REC BMS Slave Unit (16s)+ accessories | REC MIM 42 | 6 230.88 | 261 696.96 |
| SC4-1M-2C | GWL/POWER Dual Core Solar Cable 1500V/25A, 1M (2X4mm ²) | GWLP MIM 1 587 | 39.74 | 63 067.38 |
| SCKD-FLEX | GWL/POWER Aluminum Adjustable End Holder | GWLP MIM 1 460 | 22.11 | 32 280.60 |
| SNM-PVC-HLD | SUNMAN flexi panels support, 1 PVC prism, 3 m length | SNM MIM 85 | 126.32 | 10 737.20 |
| SNM-SEAL-IT-380-600 | SUNMAN Seal-it-380 FOIL BOND, professional assembly adhesive 600 ml | SNM MIM 17 | 415.31 | 7 060.27 |
| SNM-SEAL-MS-8201-600 | SUNMAN Industrial Adhesive MS-8201, 600 ml | SNM MIM 20 | 314.20 | 6 284.00 |
| SNM-VERSABOND-310 | Versabond adhesive 310 ml | GWLMIM 33 | 346.58 | 11 437.14 |
| TE-K1K-1000A | Kilovac K1K High-Voltage Contactor 24-32VDC, 1000A | AMV POA 2 | 18 021.73 | 36 043.46 |
| VE-TRANS-100-1 | VICTRON Current Transformer 100A:50mA for MultiPlus-II (1 m) | VE MIM 1 | 704.37 | 704.37 |
| YL-LTO-45-AH-B | YINLONG LTO 2.3V 45Ah Cylindrical Lithium Titanate Oxid Battery Cell, B-Grade | YL MIM 5 | 712.27 | 3 561.35 |
| ZG-LFP20CON | GWL/POWER Terminal Connector for ZG-LFP20AH | GWLP MIM 1 619 | 33.74 | 54 625.06 |
| ZJK250 | GWL/POWER DC Switch ZJK250 - 250A, 48V | GWLP MIM 6 | 88.21 | 529.26 |
| | | | | 847 339,48 |

Celkem 2 295 553,62 Kč